Assignment 11

Plane Figures; Geometric Construction and Solid Figures; Numerical Trigonometry

Textbook Assignment: Chapters 17 (186-189), 18, 19

- 11-1. Refer to figure 17-14 in your textbook. In the parallelogram, which of the following is true?
 - 1. Angle DAB equals angle BCD.
 - 2. AD equals BC.
 - 3. DC is parallel to AB.
 - 4. Each of the above is true.
- 11-2. A rectangle is a parallelogram whose four angles are 90° each.
- 11-3. Since every square is a rectangle and every rectangle is a parallelogram, it logically follows that every parallelogram is a square.
- 11-4. The formula for calculating the area of a parallelogram is
 - 1. A = bh
 - 2. A = $\frac{1}{2}$ bh
 - 3. A = 2h + 2b
 - 4. $A = \frac{1}{2}h(b_1 + b_2)$
- 11-5. Refer to figure 17-15 in your textbook. If the nonparallel sides of a trapezoid are extended until they meet, a triangle is formed.
- 11-6. In square units, what is the area of a trapezoid whose height is 8 units and whose bases are 10 and 12 units respectively?
 - 1. 88
 - 2. 100
 - 3. 108
 - 4. 176
- 11-7. Which of the following terms does not apply to a circle?
 - 1. Circumference
 - 2. Diameter
 - 3. Chord
 - 4. Side
- 11-8. The diameter of a circle is a chord of the circle.

- 11-9. That part of a circle cut off by two radii is called
 - 1. an arc
 - 2. a sector
 - 3. a portion
 - 4. a segment
- 11-10. When π is used in calculations, its value is considered to be
 - 1. exactly 3.14
 - exactly the diameter divided by the circumference
 - approximately the radius times the circumference
 - 4. approximately 3.14
- 11-11. A circle, whose radius is 10 units, has
 a circumference of
 - 1. 78.5 units
 - 2. 31.4 units
 - 3. 62.8 units
 - 4. 314.0 units
- 11-12. A circle whose diameter is 10 units has an area of
 - 1. 31.4 square units
 - 2. 78.5 square units
 - 3. 157.0 square units
 - 4. 314.0 square units
- 11-13. Two concentric circles have radii of 5 in. and 10 in. respectively. The area of the ring between the two circles is
 - 1. 78.5 sq in.
 - 2. 235.5 sq in.
 - 3. 225.0 sq in.
 - 4. 942.0 sq in.




Figure 11A.--Dividing line FG into equal segments.

- In answering items 11-14 through 11-16 refer to figure 11A.
- 11-14. When figure 11A was being constructed, the line segment FH was drawn. When line segment FG, the line to be divided, had been drawn, what was the next step?
 - 1. Points G and H were connected.
 - 2. Lines parallel to HG were drawn.
 - Line FH was marked off into 5 equal segments.
 - Line FG was marked off into 5 equal segments.
- 11-15. Relative to the figure, which of the statements is correct?
 - 1. FA equals AB equals BC.
 - 2. FA' equals A'B' equals B'C'.
 - 3. HG is parallel to BB'.
 - 4. Each of the above is correct.
- 11-16. The line segment FH can be longer than the given line segment FG.
- 11-17. When a line segment is to be bisected by the geometric method, the arcs to be employed must have a radius of what length?
 - 1. Half as long as the line segment
 - 2. Twice as long as the line segment
 - More than half the length of the line segment
 - Less than half the length of the line segment
- 11-18. The instrument used in mathematical construction to draw circles is called a compass.
- In answering items 11-19 through 11-22, refer to figure 18-4 in your textbook.
- 11-19. In order to construct a perpendicular to line segment AB at point C, point O was chosen as a convenient point above the line at which to begin the construction.

- 11-20. Any radius may be chosen to draw the circle whose center is located at point 0.
- 11-21. Line EC is drawn before line ED.
- 11-23. Refer to figure 18-5 in your textbook and assume that the intersection of the two construction arcs between points A and B is point X. In bisecting the angle AOB, point X is determined by which successive steps?
 - Carefully draw the angle AOX so that it is exactly equal to the angle BOX.
 - First construct the segment OC to equal the segment CX, then construct OD equal to DX.
 - First construct the segment OC to equal the segment OD, then construct CX equal to DX.
 - First construct the segment OC to equal the segment CX, then construct CX to be slightly greater than DX.
- 11-24. Any triangle whose sides are in the ratio of 3 to 4 to 5 is a right triangle.
- 11-25. Using a compass and ruler to construct a 60-degree angle, which of the following instructions should you follow?
 - 1. Trisect a straight angle.
 - 2. Draw a 3-4-5 right triangle.
 - 3. Draw an equilateral triangle.
 - 4. Bisect an angle of an equilateral triangle.
- 11-26. Using a compass and ruler, which of the following operations could you perform?
 - 1. Bisect a right angle.
 - Construct a right triangle containing two equal sides.
 - 3. Bisect a 30-degree angle.
 - 4. You could do each of the above.
- 11-27. To find the center of a circle, how many perpendicular bisectors of chords of the circle must be drawn?
 - 1. One
 - 2. Two
 - 3. Three
 - 4. Four
- 11-28. The perpendicular bisector of any chord of a circle passes through the center of the circle.

- 11-29. Refer to figure 18-9 in your textbook. In constructing the ellipse, the distances ab and ac are equal respectively to
 - 1. AB. DC
 - 2. DC, AB
 - 3. $\frac{1}{2}AB$, $\frac{1}{2}DC$
 - 4. $\frac{1}{2}DC$, $\frac{1}{2}AB$
- 11-30. A cylinder is one example of a prism.
- 11-31. Which of the following gives a particular type prism its name?
 - 1. Lateral faces
 - 2. Edges
 - 3. Base
 - 4. Size
- 11-32. How many faces does a parallelepiped have?
 - 1.5
 - 2. 6
 - 3.8
 - 4. Either 6 or 8
- 11-33. What is the total surface area of a triangular prism eight inches long with each base a right triangle whose sides measure three inches, four inches, and five inches, respectively?
 - 56 sq in.
 96 sq in.

 - 3. 102 sq in.
 - 4. 108 sq in.
 - 11-34. Refer to figure 18-11 in your text. A right prism whose dimensions are 3 in. by 4 in. by 1 ft has a volume of how many cu in.?

 - 1. 12 cu in. 2. 19 cu in.
 - 3. 24 cu in.
 - 4. 144 cu in.
 - 11-35. A straight line moving at right angles to its length and such that its lower end traces a closed curve always generates a
 - 1. solid
 - 2. prism
 - 3. cylinder
 - 4. circular cylinder
 - 11-36. What is the volume of a right circular cylinder whose base has a radius of 10 inches and whose height is 21 inches?
 - 1. 1318 cu in.
 - 2. 2198 cu in.
 - 3. 6594 cu in.
 - 4. 8792 cu in.

- 11-37. What is the lateral area of a pyramid with a 6-sided base measuring 8 inches on a side if the slant height is 25 inches?
 - 1. 600 sq in.
 - 2. 800 sq in.
 - 3. 1200 sq in.
 - 4. 1600 sq in.
- 11-38. Find the lateral area of a right circular cone whose slant height is 10 inches and whose base has a radius of 8 inches.
 - 1. 160 sq in.
 - 2. 251.2 sq in.
 - 3. 502.4 sq in.
 - 4. 2009.6 sq in.
- 11-39. How much material is needed to make both the base and lateral surface of a right circular cone whose base has a radius of 5 inches and whose slant height is 8 inches?
 - 1. 135.60 sq in.
 - 2. 175.20 sq in.
 - 3. 178.50 sq in.
 - 4. 204.10 sq in.
- 11-40. What is the volume of a right circular cone whose height is 9 inches and whose base has a diameter of 2 inches?
 - 1. 9.42 cu in.
 - 2. 28.26 cu in.
 - 3. 37.68 cu in.
 - 4. 56.52 cu in.
- 11-41. Which of the following solid figures has the greatest volume?
 - 1. Sphere, with a radius of 2 inches
 - 2. Right rectangular prism, with dimensions of 2, 3, and 4 inches
 - 3. Right cylinder, with base radius of 2 inches and height of 2 inches
 - 4. Pyramid, with base a square of 3 inches on a side and height of 7 inches
- 11-42. The volume of a sphere whose radius is m is given by the formula
 - 1. $4\pi m^2$
 - 2, $\frac{4}{3}\pi m^2$
 - 3. $\frac{4}{3}\pi m^3$
 - 4. $\frac{4}{3}$ m³
- 11-43. The amount of material required to cover a spherical ball whose radius is 2 inches is
 - 1. 12.56 sq in.
 - 2. 25.12 sq in.
 - 3. 33.49 sq in.
 - 4. 50.24 sq in.

- 11-44. Which of the following figures has the greatest surface area?
 - 1. Sphere with a radius of 2 inches
 - Right rectangular prism with dimensions of 2, 3, and 4 inches
 - Right cylinder, excluding the bases, with radius of base 3 inches and height of 3 inches
 - Pyramid, excluding the base, with base a square of 3 inches on a side and a slant height of 7 inches
- 11-45. What is the hypotenuse of a right triangle whose sides are 5 and 12 units?
 - 1. 13
- 3. 15
- 2. 14
- 4. 16
- 11-46. If the hypotenuse of a right triangle is 8 units and one leg is 4 units, what is the length of the second leg?
 - 1. 4.00
 - 2. 6.73
 - 3. 6.93
 - 4. 8.94
- 11-47. If two triangles ABC and A'B'C' are similar such that angle A = angle A' and angle B = angle B', which of the following equalities are true?
 - 1. $\frac{AB}{A^{\dagger}B^{\dagger}} = \frac{BC}{B^{\dagger}C^{\dagger}}$; angle C = angle C'.
 - 2. $\frac{AB}{A^*B^*} = \frac{AC}{A^*C^*}$; angle A = angle A' = 45°.
 - 3. $\frac{AC}{A'C'} = \frac{BC}{B'C'};$
 - AB + BC + AC = A'B' + B'C' + A'C'.
 - 4. All of the above are true.
- 11-48. Refer to figure 19-4 in your textbook.

 Assume that angle A is 60 degrees,
 angle B' is 30 degrees, and both angles
 C and C' are 90 degrees each. If the
 length of line AB is 5 units, line AC
 is 2.5 units, and line A'B' is 10 units,
 what are the values of line B'C', angle
 A', and line A'C' respectively?
 - 1. B'C' = 4.33; angle $A' = 60^{\circ}$;
 - A'C' = 5.0
 - 2. B'C' = 8.66; angle $A' = 30^{\circ}$;
 - $A^{1}C^{1} = 5.0$
 - 3. B'C' = 8.66; angle $A' = 60^{\circ}$;
 - A'C' = 5.0
 - 4. B'C' = 11.2; angle A' = 30°; A'C' = 10.0
- 11-49. The six trigonometric quantities, $\sin \theta$, $\cos \theta$, $\tan \theta$, $\cot \theta$, $\sec \theta$ and $\csc \theta$, represent ratios of the sides of right triangles.

- In answering items 11-50 through 11-54, refer to figure 19-7 (B) in your textbook.
- 11-50. The secant of angle α equals
 - 1. $\frac{r}{x}$
- 3. $\frac{\mathbf{r}}{\mathbf{y}}$
- 2. $\frac{x}{r}$
- 4. ¥
- 11-51. The tangent of angle θ equals
 - 1. $\frac{x}{r}$
- 3. $\frac{x}{y}$
- 2. ¥
- 4. <u>y</u>
- 11-52. The sine of the angle θ is the same as the cosecant of the angle α_{\star}
- 11-53. The tangent of the angle θ and the cotangent of the angle α are identical.
- 11-54. The cosine of an acute angle of a right triangle is always the side adjacent to the angle divided by the hypotenuse.
- 11-55. If a table listing the values of the cotangent, secant, and cosecant of angles y from 0° to 90° is given, a table for values of the cosine of angles y from 0° to 90° can be constructed by computing the reciprocals of
 - 1. sin y
 - 2. cos y
 - 3. sec y
 - 4. cot y
- In answering items 11-56 through 11-64, refer to Appendix II.
- 11-56. The value of the cotangent of an angle of 83 degrees is
 - 1. 0.1219
 - 2. 0.1228
 - 3. 0.9925
 - 4. 8.1443
- In answering items 11-57 and 11-58, refer to the smaller triangle shown in figure 19-4 of your textbook.
- 11-57. If angle A is 22 degrees and line AB is 10 units, what is the length of line AC?
 - 1. 3.746
 - 2. 4.040
 - 3. 9.135
 - 4. 9.272

- 11-58. What is the value of angle A when line BC = 8.693 units and line AC = 10 units? 1. 41° 2. 45°

 - 3. 51.9°
 - 4. 60.40
- 11-59. The sine of an angle of 49 degrees, 48 minutes is
 - 1. 0.6455
 - 2. 0.7536
 - 3. 0.7638
 - 4. 1.1833
- 11-60. The value of the tangent of an angle of 18 degrees 18 minutes is
 - 1. 0.3288
 - 2. 0.3249
 - 3. 0.3307
 - 4. 0.9494
- 11-61. Using the method of interpolation, what is the angle whose sine is 0.1573?

 1. 8.5°
 2. 9.0°
 3. 9°2'

 - 4. 9°31
- 11-62. What is the angle whose cosine is 0.4169, rounded to the nearest minute?

 - 1. 65°20' 2. 65°22' 3. 65°23' 4. 65°24'
- 11-63. Using interpolation, what is the tangent of 37 degrees, 21 minutes?
 - 1. 0.7618
 - 2. 0.7632
 - 3. 0.7640
 - 4. 0.7646
- 11-64. Using interpolation, what is the value of sin 16.58°?
 - 1. 0.2845
 - 2. 0.2849
 - 3. 0.2854
 - 4. 0.2856
- 11-65. In a 30° -60° -90° triangle, the hypotenuse is twice the side opposite the 60° angle.
- The legs of a right triangle are defined to be those two sides of a right triangle which lie opposite acute angles.
- 11-66. In a 30° -60° -90° triangle, if the shorter of the two legs is 8 inches what is the length of the longer leg?

 - 1. 16 in. 2. $16\sqrt{3}$ in. 3. $12\sqrt{3}$ in.
 - 4. $8\sqrt{3}$ in.

- 11-67. What is the altitude of an equilateral triangle whose sides are 10 inches?
 - 1. 5 in.
 - 2. $\sqrt{70}$ in.
 - 3. $5\sqrt{3}$ in. 4. $5\sqrt{2}$ in.
- 11-68. What is the length of the sides of a $45^{\circ}-90^{\circ}$ triangle whose hypotenuse is 10 units?
 - 1. 5
 - 2. $5\sqrt{2}$
- 11-69. A triangle with sides of 6, 8, and 10 units respectively is a right triangle.
- 11-70. Which of the following triangles is not a right triangle?
 - 1. A triangle with sides 2, $2\sqrt{3}$, and 4
 - 2. A triangle with sides 3, 3, and $3\sqrt{2}$
 - 3. A triangle with sides 4, 6, and 9
 - 4. A triangle with sides 10, 24, and 26
- 11-71. If the distance from the top of a pole to a point on the ground 16 feet from its base is 20 feet, what is the height of the pole?
 - 1. 12 ft
 - 2. 15 ft
 - 3. 18 ft
 - 4. 24 ft
- 11-72. The six trigonometric ratios are based on what type triangle?
 - 1. Acute
 - 2. Obtuse
 - 3. Oblique
 - 4. Right
- In answering items 11-73 through 11-75 refer to the trigonometric functions in Appendix II.
- 11-73. Refer to figure 19-18 in your text. If angle A is 30 degrees and angle C is 40 degrees, what is the length of side AC if side BC is 18 units in length?
 - 1. 32.18
 - 2. 33.83
 - 3. 34.57
 - 4. 35.46

- 11-74. Refer to figure 19-19 in your textbook.

 If angle BAC is 40 degrees and side AC is 80 feet long, what is the length of the side BD of triangle CBD if angle BCD has a value of 60 degrees?
 - 1. 120 ft
 - 2. 125.7 ft

 - 3. 130.2 ft 4. 132.2 ft

- 11-75. Refer to figure 19-21 (A) in your text-book. When angles A, B, and C are 50, 70, and 60 degrees respectively and side b is 12 units, what is the value of side c?

 - 1. 8.4 2. 10.9
 - 3. 11.1
 - 4. 11.7